

## Security products – Fixed grilles

### Issued to

**Crenna Plåt AB**

Kvartsgatan 19, SE-749 40 Enköping, Sweden

manufacturing site

Code 96

### Product and product description

Fixed grilles for mounting in ventilation duct, roof transition or wall for burglary resistance. RSG is rectangular with maximum measures of 1500 x 1500 mm, CSG is circular with maximum Ø 1500 mm.

### Product name

RSG-2, RSG-3, RSG-4, CSG-2, CSG-3, CSG-4.

### Certificate

The products described above fulfils the requirements in EN 1627:2021 and RISE Certification rules for security products SPCR 201 issue 2021-09-07. The resistance classes are met from both inside and outside.

### Classification according to EN 1627:2021

RC 2: RSG-2 och CSG-2

RC 3: RSG-3 och CSG-3

RC 4: RSG-4 och CSG-4

### Marking

The marking shall fulfil the requirements of EN 1627:2021 Annex E. Products that comply with SPCR 201 may also be marked with RISE certification mark according to the requirements in SPCR 201 section 3.4.

### Validity

This certificate is valid until not longer than 2028-07-26. The validity of this certificate can be verified on RISE website. This edition of the certificate replaces previous editions.

### Miscellaneous

The manufacturer's in-house inspection is under surveillance by RISE in accordance with section 4 and 5 of SPCR 201. Other terms and conditions are set out in section 6 of SPCR 201.



Martin Tillander